

# SPICER®




J300P-3

July 2012

Supersedes Section 3

Dated August 2008

## Driveline Components Catalog Slip Yoke Assemblies



Driveshaft-style slip yokes, slip flanges, splined sleeves, and more,  
plus slip yoke assemblies for transmission applications.



Product pictured is intended to be a representation of product category.

# How To Use This Catalog

## INCLUDED IN THIS CATALOG

Driveshaft Style slip yokes - page 3, Slip Flange- page 13, Splined Sleeves - page 14, Hex, Square and Round Hole- page 16, Transmission-type - page 17,

## HOW TO IDENTIFY A PART USING THIS CATALOG

To identify any slip yoke, four pieces of information are required:

1. Determine Series
2. Determine spline O.D.
3. Determine number of teeth
4. Determine length - centerline to end/ face to end / end of spline to weld
5. Determine hub diameter (if a transmission-type slip yoke)

Series and all pertinent series dimensions appear as shown in the sample below:

<b>1100 SERIES</b>	<b>E-2.656 D-.938</b>	<b>USE KIT 5-101X &amp; 5-111X</b>
--------------------	-----------------------	------------------------------------

Spline O.D. and number of teeth are found at the beginning of each data section--

### 1.062-16 Spline

Individual part data is shown following the spline data heading--


<b>2.875</b>	<b>.938</b>	<b>500174-1</b>	<b>D1A</b>	<b>1-68-14</b>	<b>-</b>	<b>SR</b>	<b>1-3-88KX</b>
--------------	-------------	-----------------	------------	----------------	----------	-----------	-----------------

Footnotes for parts and assemblies that are discontinued, will be discontinued or replaced upon depletion of stock, or not sold separately, are indicated by a symbol next to the part number. Match the symbol to the appropriate status at the bottom of the page. All other footnotes are located immediately below the yoke dimensional data.

**IMPORTANT NOTICE:** The data listed herein is correct to the best of our knowledge and belief; having been compiled from reliable and official sources of information. However, WE CANNOT ASSUME ANY RESPONSIBILITY for possible error.



## Slip Yoke Assemblies LD & MD Driveshaft Style




J C/L to End of Spline	F C/L to Face of Plug	Part of Slip Yoke Assembly			Boot Kit Assy Part Number Order Separately	Style	Slip Yoke Assembly Part Number
		Lube Fitting	Dust Cap & Washer Kit	Slip Yoke Plug Number			
<b>SPL55 SERIES</b>		<b>E-4.440 D-1.374</b>		<b>USE KIT 5-803X, 5-804X, SPL55-1X, SPL55-2X</b>			
<b>1.587-23 Based On 24 Involute Spline</b>							
7.949	1.732	—	—	500166-26	212094X	SR	55-3-61X
9.122	1.732	—	—	500166-26	212094X	SR	55-3-81X
<b>SPL70 SERIES</b>		<b>E-5.250 D-1.375</b>		<b>USE KIT 5-808X, 5-809X, SPL70-1X, SPL70X</b>			
<b>1.776-26 Based On 27 Involute Spline</b>							
8.480	1.890	—	—	70-68-18X	212146X	SR	70-3-21X
9.279	1.890	—	—	70-68-18X	212146X	SR	5009115
<i>5009115 was replaced by 70-3-09115X; Rubber valve in plug</i>							
9.279	1.890	—	—	70-68-18X	212146X	SR	70-3-09115X Rubber valve in plug
9.279	1.890	—	—	70-68-38X	212146X	SR	70-3-41X
<b>SPL90 SERIES</b>		<b>E-5.375 D-1.625</b>		<b>USE KIT SPL90X</b>			
<b>1.939-30 Involute Spline</b>							
8.250	1.750	500174-1	90-86-18	5-68-164	—	SR	90-3-41X
<i>Mates with 90-40-21 and 90-53-21</i>							
10.100	1.797	500174-1	90-86-18	5-68-108X	—	SR	90-3-21X
<b>SPL100 SERIES</b>		<b>E-5.380 IN, (HR STYLE 4.958 IN.) D-1.625</b>		<b>USE KIT SPL100-1X</b>			
<b>1.965-29 Based On 30 Involute Spline</b>							
9.681	1.783	—	—	5-68-164	212146X	SR	100-3-41X
<b>1000 SERIES</b>		<b>K-1.500 D-.938</b>		<b>USE KIT 5-170X</b>			
<b>1.000-6 Spline</b>							
5.500	1.500	500174-1	—	—	—	SR	10-3-131X
<b>1.125-10 Spline</b>							
5.500	—	500174-1	—	—	—	SR	10-3-81X
<b>1.156-26 Involute Spline</b>							
5.500	1.531	500174-1	D2L	2-68-23	—	SR	10-3-291KX
<b>1.250-16 Spline</b>							
4.438	1.400	500174-1	D2A	—	—	SR	10-3-121KX
5.500	1.562	500174-1	D2A	2-68-23	—	SR	10-3-18KX
<b>1.250-6 Spline</b>							
5.500	1.400	500174-1	—	—	—	SR	10-3-51X
<b>1100 SERIES</b>		<b>E-2.656 D-.938</b>		<b>USE KIT 5-101X, 5-111X</b>			
<b>1.062-16 Spline</b>							
2.875	.938	500174-1	D1A	1-68-14	—	SR	1-3-88KX
4.312	.938	500174-1	D1A	1-68-14	—	SR	1-3-18KX

• Part is discontinued    ■ Part is available until supply is exhausted    ▲ Not sold separately



**Important: See Safety Information in General Information Section (J300P-GI)**

## Slip Yoke Assemblies LD & MD Driveshaft Style



J	F	Part of Slip Yoke Assembly			Boot Kit Assy Part Number Order Separately	Style	Slip Yoke Assembly Part Number
		Lube Fitting	Dust Cap & Washer Kit	Slip Yoke Plug Number			
<b>1210 SERIES</b>		<b>E-2.688 D-1.062</b>			<b>USE KIT 5-443X</b>		
<b>1.219-26 Based On 28 Involute Spline</b>							
5.062	1.250	—	—	500166-20	—	SR	2-3-8811X•
					<i>Use boot #40465, clamps #40540-1,-2; l.S. snap ring style</i>		
5.109	1.547	—	—	500166-20	211513X	SR	2-3-9991X
<b>1.250-14 Based On 16 Spline</b>							
6.344	1.547	—	211256X	500166-20	211513X	SR	2-3-10521X
6.375	1.250	—	—	500166-20	211344X	SR	2-3-8861X
<b>1310 SERIES</b>		<b>E-3.469 D-1.062</b>			<b>USE KIT 5-153X, 5-785X, 5-810X</b>		
<b>1.250-14 Based On 16 Spline</b>							
6.562	1.438	—	—	500166-20	211344X	SR	2-3-10661X■
<b>1.250-16 Spline</b>							
3.562	1.000	500174-1	D2B	2-68-23	—	SR	2-3-3951KX
4.125	1.000	500174-1	D2B	2-68-23	—	SR	2-3-258KX
4.688	1.000	500174-1	D2A	2-68-23	—	SR	2-3-198KX
5.000	1.000	500174-1	D2A	2-68-23	—	SR	2-3-1421KX
6.125	1.000	500174-1	D2F	2-68-23	—	SR	2-3-1461KX
6.562	1.438	500174-1	D2K	2-68-23	—	SR	2-3-4441KX
6.562	1.438	500174-1	211256X	2-68-23	—	SR	2-3-8841KX
<b>1.338-18 Based On 20 Involute Spline</b>							
6.724	1.417	—	211121X	500166-22	—	SR	2-3-15101X
7.360	1.500	—	—	500166-22	212094X	SR	2-3-15941X
<b>1.375-15 Based On 16 Spline</b>							
6.000	1.062	—	—	500166-22	211916X	SR	2-3-10411X
6.688	1.062	500174-1	211121X	2-68-143	—	SR	2-3-7661KX
6.690	1.062	—	—	2-68-28X	—	SR	2-3-10021X
					<i>Relief valve in plug</i>		
6.724	1.417	—	—	500166-22	211916X	SR	2-3-12881X
6.812	1.250	—	—	500166-22	211932X	SR	2-3-11351X•
7.875	1.500	—	—	500166-22	211916X	SR	2-3-12421X
<b>1.375-16 Spline</b>							
3.750	1.000	500174-1	D2C	3-68-23	—	SR	2-3-178KX
4.188	1.000	500174-1	D2C	3-68-23	—	SR	2-3-348KX
5.375	1.000	—	—	2-68-28X	—	SR	2-3-9031X▲
					<i>500174-1 lube fit. &amp; D2M dustcap, ordr sep.; Rel vlv in plug</i>		
5.375	1.000	500174-1	211121X	3-68-23	—	SR	2-3-12301KX
5.375	1.000	500174-1	D2C	3-68-23	—	SR	2-3-128KX
6.000	1.062	500174-1	D2C	2-68-143	—	SR	2-3-4951KX
					<i>Use dust cap kit D3E for reverse slip applications</i>		
6.000	1.062	500174-1	211121X	2-68-143	—	SR	2-3-7981KX
6.344	1.062	500174-1	D2C	2-68-143	—	SR	2-3-4071KX

• Part is discontinued    ■ Part is available until supply is exhausted    ▲ Not sold separately



## Slip Yoke Assemblies LD & MD Driveshaft Style


J C/L to End of Spline	F C/L to Face of Plug	Part of Slip Yoke Assembly			Boot Kit Assy Part Number Order Separately	Style	Slip Yoke Assembly Part Number
		Lube Fitting	Dust Cap & Washer Kit	Slip Yoke Plug Number			
<b>1310 SERIES (Continued)</b>		<b>E-3.469 D-1.062</b>			<b>USE KIT 5-153X, 5-785X, 5-810X</b>		
<b>1.375-16 Spline (Continued)</b>							
6.471	—	—	—	—	—	CV	2-3-7461X
<i>500174-1 lube fitting &amp; D2M dust cap, order separately</i>							
6.750	.875	500174-1	D2M	3-68-23	—	SR	2-3-1931KX
6.812	1.500	500174-1	211121X	2-68-143	—	SR	2-3-8001KX
6.875	1.500	500174-1	—	3-68-23	—	SR	2-3-5221X
<i>Use dust cap kit D3E for reverse slip applications</i>							
7.875	1.500	500174-1	—	3-68-23	—	SR	2-3-5821X
<i>Use dust cap kit D3E for reverse slip applications</i>							
7.875	1.500	500174-1	211121X	2-68-143	—	SR	2-3-8021KX
<b>1.377-31 Based On Involute 32 Spline</b>							
6.750	.875	500174-1	211121X	2-68-143	—	SR	2-3-10261KX
6.750	.875	—	—	500166-22	211600X	SR	2-3-10801X•
<b>1.378-31 Based On 32 Involute Spline</b>							
6.620	1.531	500174-1	D2N	2-68-134	—	SR	2-3-7171KX
6.812	1.500	500174-1	211411X	2-68-143	—	SR	2-3-10641KX•
6.812	1.500	—	—	2-68-63	211600X	SR	2-3-9371X•
<b>1.390-30 Based On 31 Involute Spline</b>							
5.062	1.438	500174-1	211121X	3-68-23	—	SR	2-3-8311X
<i>Spec 4X4 axle yoke w/hole in plug</i>							
5.062	1.438	231330	2-86-298	500166-22	—	SR	2-3-8481X
<i>Spec 4X4 axle yoke w/lube fitting in yoke</i>							
5.062	1.438	—	—	500166-22	—	SR	2-3-8741X
<i>Use boot #40465, clamps #40540-1,-2; I.S. snap ring style</i>							
<b>1.500-16 Spline</b>							
2.906	.656	500174-1	D3F	2-68-64	—	SR	2-3-7691KX
6.875	1.531	500174-1	D3A	3-68-33	—	SR	2-3-6061KX
<b>1330 SERIES</b>		<b>SR: E-3.875 OTHERS E-3.625, D-1.062</b>			<b>USE KIT 5-213X,5-790X,5-812X</b>		
<b>1.284-29 Based On 30 Involute Spline</b>							
6.600	1.100	—	—	500166-22	—	SR	2-3-13221X
<i>Used on driveshaft w/outboard slip</i>							
<b>1.338-18 Based On 20 Involute Spline</b>							
6.640	1.000	—	—	500166-22	212094X	SR	2-3-16221X
6.724	1.102	—	—	500166-22	211932X	SR	2-3-15651X
<b>1.338-19 Based On 20 Involute Spline</b>							
6.700	1.000	—	—	500166-22	212094X	SR	2-3-13831X
<b>1.375-14 Based On 16 Spline</b>							
6.720	1.102	—	—	500166-22	211932X	SR	2-3-14331X
7.039	1.417	—	—	500166-22	211932X	SR	2-3-06028X
7.039	1.417	—	—	500166-22	211932X	SR	5006028
<i>5006028 was replaced by 2-3-06028X</i>							
<b>1.375-15 Based On 16 Spline</b>							
5.410	1.060	—	—	500166-22	211916X	SR	2-3-13571X•
6.000	1.000	—	—	500166-23	211916X	SR	2-3-8921X
6.620	1.000	—	—	500166-22	211932X	SR	2-3-11991X•
<i>211121X dust cap &amp; washer kit, order separately</i>							
6.625	1.000	—	211121X	2-68-28X	—	SR	2-3-11491KX
6.625	1.000	—	211121X	500166-22	211932X	SR	2-3-11991KX•
6.625	1.000	500174-1	211121X	3-68-23	—	SR	2-3-7681KX
7.500	1.000	500174-1	211121X	3-68-23	211463X	SR	2-3-8941KX•

• Part is discontinued    ■ Part is available until supply is exhausted    ▲ Not sold separately



**Important: See Safety Information in General Information Section (J300P-GI)**

## Slip Yoke Assemblies LD & MD Driveshaft Style



J	F	Part of Slip Yoke Assembly			Boot Kit Assy Part Number Order Separately	Style	Slip Yoke Assembly Part Number
		Lube Fitting	Dust Cap & Washer Kit	Slip Yoke Plug Number			
<b>1330 SERIES (Con't) SR: E-3.875 OTHERS E-3.625, D-1.062 USE KIT 5-213X,5-790X,5-812X</b>							
<b>1.375-16 Spline</b>							
6.000	1.000	500174-1	D3E	3-68-23	—	SR	2-3-4681KX
6.000	1.000	500174-1	211121X	2-68-143	—	SR	2-3-7961KX
7.500	1.000	500174-1	211121X	2-68-28X	—	SR	2-3-12031KX <i>Relief valve in plug</i>
7.500	1.000	—	—	3-68-23	—	SR	2-3-7481X• <i>D2M dust cap &amp; washer kit, order separately</i>
7.500	1.000	500174-1	211121X	3-68-23	—	SR	2-3-8041KX
<b>1.378-31 Based On 32 Involute Spline</b>							
6.000	1.000	500174-1	211121X	2-68-143	—	SR	2-3-10571KX•
<b>1.500-15 Based On 16 Spline</b>							
7.312	1.188	—	—	3-68-33	—	SR	2-3-10871X• <i>Used on driveshaft w/outboard slip</i>
7.500	1.000	500174-1	211158X	3-68-33	—	SR	2-3-8111KX•
<b>1.500-16 Spline</b>							
8.182	—	—	—	—	—	CV	211391X
<i>Slip Yoke is a ball stud &amp; sleeve assembly; 500174-1 lube fitting &amp; D3A dust cap, order separate</i>							
<b>1350 SERIES E-3.875 D-1.188 USE KIT 5-178X OR 5-799X</b>							
<b>1.375-15 Based On 16 Spline</b>							
6.810	1.190	500174-1	211121X	3-68-33	—	SR	3-3-2701KX
<b>1.375-16 Spline</b>							
5.250	1.188	500174-1	D3E	3-68-33	—	SR	3-3-758KX
5.688	1.188	500174-1	D2C	3-68-33	—	SR	3-3-1421KX
5.812	1.188	500174-1	D3G	3-68-33	—	SR	3-3-1501KX
6.625	1.188	500174-1	D3G	3-68-33	—	SR	3-3-2591KX
<b>1.377-31 Based On 32 Involute Spline</b>							
6.625	1.188	500174-1	D3F	3-68-33	—	SR	3-3-2471KX
<b>1.390-30 Based On 31 Involute Spline</b>							
4.810	1.190	—	—	500166-22	—	SR	3-3-3001X <i>Use boot #40929 &amp; clamps 40540-4 &amp; 40540-3; order separately</i>
5.240	1.190	—	211121X	3-68-23	—	SR	3-3-2861X
<b>1.463-21 Based On 22 Involute Spline</b>							
7.310	1.160	—	—	500166-24	212094X	SR	3-3-6381X <i>Slip yoke barrel is tapered.</i>
7.312	1.190	—	—	500166-24	212010X	SR	3-3-6201X
7.312	1.190	—	—	500166-24	212010X	SR	3-3-6981X
<b>1.500-14 Based On 16 Spline</b>							
7.312	1.188	—	—	500166-24	212010X	SR	3-3-4781X
7.312	1.188	—	—	500166-24	211916X	SR	3-3-5461X
<b>1.500-15 Based On 16 Spline</b>							
6.938	1.188	—	—	500166-24	212010X	SR	3-3-4651X
7.310	1.188	500174-1	211158X	3-68-33	—	SR	3-3-5921KX
7.312	1.188	500174-1	211158X	3-68-33	212010X	SR	3-3-2801KX

• Part is discontinued    ■ Part is available until supply is exhausted    ▲ Not sold separately





## Slip Yoke Assemblies LD & MD Driveshaft Style




J C/L to End of Spline	F C/L to Face of Plug	Part of Slip Yoke Assembly			Boot Kit Assy Part Number Order Separately	Style	Slip Yoke Assembly Part Number
		Lube Fitting	Dust Cap & Washer Kit	Slip Yoke Plug Number			
<b>1350 SERIES (Continued) E-3.875 D-1.188</b>					<b>USE KIT 5-178X OR 5-799X</b>		
<b>1.500-16 Spline</b>							
3.344	1.062	500174-1	D3A	3-68-104	—	SR	3-3-2931KX•
3.688	1.188	500174-1	D3A	3-68-33	—	SR	3-3-398KX
3.938	1.188	500174-1	D3A	3-68-33	—	SR	3-3-388KX
4.938	1.188	500174-1	D3K	3-68-33	—	SR	3-3-5181KX
5.812	1.312	500174-1	D3A	3-68-33	—	SR	3-3-598KX
5.812	1.380	—	—	3-68-33	—	SR	3-3-2991X
<i>500174-1 lube fitting &amp; D3A dust cap, order separate</i>							
6.719	1.188	500174-1	D3A	3-68-33	—	SR	3-3-1561KX
7.312	1.188	500174-1	D3A	3-68-33	—	SR	3-3-488KX
7.930	1.156	—	—	3-68-33	212010X	SR	3-3-3601X
8.000	1.188	500174-1	D3A	3-68-33	—	SR	3-3-2681KX
<i>One tooth removed for lube passage</i>							
<b>1410 SERIES</b>		<b>E-4.438 D-1.188</b>			<b>USE KIT 5-160X OR 5-801X</b>		
<b>1.375-16 Spline</b>							
5.240	1.160	—	D3G	—	—	SR	3-3-4421X
<i>500174-1 lube fitting, order separate</i>							
5.250	1.156	500174-1	D3E	3-68-33	—	SR	3-3-788KX
5.812	1.156	500174-1	D3G	3-68-33	—	SR	3-3-1481KX
<b>1.463-21 Based On 22 Involute Spline</b>							
7.280	1.160	—	—	500166-24	212010X	SR	3-3-6611X
<i>Used on driveshaft w/outboard slip</i>							
7.280	1.160	—	—	500166-24	212010X	SR	3-3-6771X
7.280	1.160	—	—	500166-24	211503X	SR	3-3-6791X
<i>w/5.300" OD dampener</i>							
7.310	1.160	—	—	500166-24	212010X	SR	3-3-08019X
7.310	1.160	—	—	500166-24	212094X	SR	3-3-6341X
7.310	1.160	—	—	500166-24	212010X	SR	5008019
<i>5008019 was replaced by 3-3-08019X</i>							
7.311	1.161	—	—	500166-24	212094X	SR	3-3-6701X
<b>1.500-14 Based On 16 Spline</b>							
7.281	1.156	—	—	500166-24	212010X	SR	3-3-4871X
7.281	1.156	—	—	500166-24	212010X	SR	3-3-5491X
8.562	1.340	—	—	500166-24	212010X	SR	3-3-6831X
<b>1.500-15 Based On 16 Spline</b>							
7.281	1.156	500174-1	211158X	3-68-33	—	SR	3-3-5411KX
7.812	1.344	500167-2	D3A	3-68-18X	—	SR	3-3-748KX
<i>Part has wide tooth and relief valve in welch plug.</i>							
8.562	1.344	500174-1	D3F	3-68-63	—	SR	3-3-768KX
<i>Part has wide tooth, mates w/3-40-531</i>							
<b>1.500-16 Spline</b>							
3.906	1.156	—	—	3-68-33	—	SR	3-3-3381X
<i>Use dust cap 211158X, order separate</i>							
3.906	1.156	500174-1	D3A	3-68-33	—	SR	3-3-468KX
4.344	1.156	—	D3F	3-68-33	—	SR	3-3-3311KX
4.410	1.160	—	—	3-68-33	—	SR	3-3-3461X
<i>500174-1 lube fitting &amp; D2M dust cap, order separately</i>							
5.250	1.156	500174-1	D3K	3-68-33	—	SR	3-3-2041KX
5.250	1.160	—	—	3-68-334	—	SR	3-3-3401X
<i>500174-1 lube fitting &amp; D2M dust cap, order separately</i>							
6.500	1.156	500174-1	D3A	3-68-33	—	SR	3-3-118KX

• Part is discontinued    ■ Part is available until supply is exhausted    ▲ Not sold separately



**Important: See Safety Information in General Information Section (J300P-GI)**

## Slip Yoke Assemblies LD & MD Driveshaft Style



J C/L to End of Spline	F C/L to Face of Plug	Part of Slip Yoke Assembly			Boot Kit Assy Part Number Order Separately	Style	Slip Yoke Assembly Part Number
		Lube Fitting	Dust Cap & Washer Kit	Slip Yoke Plug Number			
<b>1410 SERIES (Continued) E-4.438 D-1.188</b>					<b>USE KIT 5-160X OR 5-801X</b>		
<b>1.500-16 Spline (Continued)</b>							
6.688	1.344	500174-1	D3B	3-68-33	—	SR	3-3-798KX
7.812	1.344	500174-1	—	3-68-33	—	SR	3-3-4551X•
7.812	1.344	500174-1	D3A	3-68-33	—	SR	3-3-508KX
7.812	1.344	500174-1	211158X	3-68-33	—	SR	3-3-5481KX
7.812	1.344	—	—	3-68-18X	—	SR	3-3-838X
<i>Use dust cap D3F, order separate; Use lube fitting 500174-1; order separate</i>							
8.562	1.344	500174-1	D3J	3-68-113	—	SR	3-3-1831KX
<b>1.528-23 Involute Spline</b>							
6.810	1.312	—	—	3-68-163	—	SR	3-3-6641X•
<i>Use dust cap 211158X, order separate; 500174-1 lube fitting, order separate</i>							
<b>1.562-16 Spline</b>							
6.812	1.312	500174-1	D3H	3-68-163	—	SR	3-3-1701KX
<i>For splined dust cap, use D3J</i>							
<b>1.564-22 Based On 24 Involute Spline</b>							
6.720	1.220	—	—	500166-26	212007X	SR	3-3-6041X• OEM Only
<b>1.587-23 Based On 24 Involute Spline</b>							
6.720	1.220	—	—	500166-26	212007X	SR	3-3-7001X
<b>1.605-15 Involute Spline</b>							
5.750	1.344	500174-1	D4G	3-68-163	—	SR	3-3-3871KX
<b>1.654-20 Involute Spline</b>							
4.812	1.312	—	—	3-68-183	—	SR	3-3-3791X <i>Hub dia. not ground</i>
<b>1.750-16 Spline</b>							
3.250	1.188	500174-1	D4F	3-68-54	—	SR	3-3-1511KX
<b>1480 SERIES</b>		<b>E-4.438 D-1.375</b>			<b>USE KIT 5-188X, 5-803X OR 5-804X</b>		
<b>1.562-16 Spline</b>							
6.000	1.312	—	—	3-68-163	—	SR	3-3-5141X•
6.812	1.312	500174-1	D3J	3-68-163	—	SR	3-3-1601KX
9.500	2.000	500174-1	D3H	3-68-163	—	SR	3-3-1641KX
<b>1.564-23 Based On 24 Involute Spline</b>							
6.810	1.312	—	—	500166-26	212007X	SR	3-3-6061X
<b>1.587-23 Based On 24 Involute Spline</b>							
6.810	1.312	—	—	500166-26	212007X	SR	3-3-7021X
<b>1.784-27 Involute Spline</b>							
3.719	1.109	—	—	3-68-203	—	SR	3-3-3121X <i>Hub dia. not ground</i>
<b>2.250-10 Spline</b>							
3.719	1.188	500174-1	D3D	3-68-93	—	SR	3-3-1621KX

• Part is discontinued    ■ Part is available until supply is exhausted    ▲ Not sold separately





## Slip Yoke Assemblies LD & MD Driveshaft Style

J C/L to End of Spline	F C/L to Face of Plug	Part of Slip Yoke Assembly			Boot Kit Assy Part Number Order Separately	Style	Slip Yoke Assembly Part Number
		Lube Fitting	Dust Cap & Washer Kit	Slip Yoke Plug Number			
<b>1550 SERIES</b>		<b>E-5.250 D-1.375</b>			<b>USE KIT 5-155X, 5-808X OR 5-809X</b>		
<b>1.750-16 Spline</b>							
5.375	1.375	500168-2	D4M	4-68-143	—	SR	4-3-1751KX
6.875	1.375	500168-2	D4K	4-68-143	—	SR	4-3-1241KX
7.562	2.062	500168-2	D4M	4-68-143	—	SR	4-3-2121KX
8.125	1.375	500168-2	D4J	4-68-143	—	SR	4-3-1411KX
9.063	2.062	500168-2	D4M	4-68-143	—	SR	4-3-2141KX
10.062	2.062	500168-2	D4J	4-68-143	—	SR	4-3-1431KX
<b>2.000-16 Spline</b>							
4.875	1.469	500168-2	5-86-68	4-68-43	—	SR	4-3-1921KX
8.812	2.730	500167-2	5-86-68	5-68-78X	—	SR	4-3-2041KX <i>Relief valve in plug</i>
<b>2.500-16 Spline</b>							
3.500	1.125	500168-2	D4L	4-68-74	—	SR	4-3-1261KX
4.303	1.402	500168-2	D4L	4-68-74	—	SR	4-3-08843KX
4.303	1.402	—	—	4-68-74	—	SR	5008843
<i>5008843 was replaced by 4-3-08843KX; D4L dust cap kit- order separately</i>							


• Part is discontinued    ■ Part is available until supply is exhausted    ▲ Not sold separately



**Important: See Safety Information in General Information Section (J300P-GI)**

# Slip Yoke Assemblies HD Driveshaft Style

**J300P-3**



J C/L to End of Spline	F C/L to Face of Plug	Part of Slip Yoke Assembly			Style	Slip Yoke Assembly Part Number
		Lube Fitting	Dust Cap & Washer Kit	Slip Yoke Plug Number		
<b>1610 SERIES</b>		<b>E-5.312 D-1.875</b>			<b>USE KIT 5-279X OR 5-674X</b>	
<b>2.000-16 Spline</b>						
5.406	2.688	—	—	5-68-154	BP	5-3-2911X
<i>500168-2 lube fitting &amp; 5-86-68 dust cap kit, order separate</i>						
6.750	2.688	—	—	5-68-174	BP	5-3-398X
7.812	1.440	500168-2	5-86-68	5-68-174	BP	5-3-108KX
8.875	1.440	500168-2	5-86-68	5-68-174	BP	5-3-368KX
9.312	3.188	500168-2	5-86-68	5-68-174	BP	5-3-288KX
9.812	2.688	500168-2	5-86-68	5-68-174	BP	5-3-128KX•
10.312	1.938	500168-2	5-86-68	5-68-174	BP	5-3-1411KX
10.312	2.440	500168-2	5-86-68	5-68-164	BP	5-3-1711KX
10.812	3.188	500168-2	5-86-68	5-68-164	BP	5-3-2261KX
10.940	3.688	—	—	5-68-164	BP	5-3-3141KX
11.938	3.688	500168-2	5-86-68	5-68-164	BP	5-3-3121KX <i>High angle slip yoke</i>
<b>2.500-16 Spline</b>						
9.500	2.000	500168-2	6.3-86-18	6-68-64	BP	5-3-3101KXM
<i>M8 x 1.00-6H Metric tapped holes in yoke ears</i>						
<b>2.676-18 Involute Spline</b>						
3.500	1.250	500168-2	D5C	5-68-33	BP	5-3-168KX
3.500	1.250	500168-2	—	5-68-33	BP	5-3-3231X
<i>Not threaded for dust cap</i>						
4.250	1.250	500168-2	D5C	5-68-33	BP	5-3-198KX
4.875	1.812	500168-2	D5C	5-68-33	BP	5-3-2971X
<b>1710 SERIES</b>		<b>E-6.094 (6.190-HR STYLE) D-1.938</b>			<b>USE KIT 5-280X OR 5-675X</b>	
<b>2.500-15 Based On 16 Spline</b>						
7.469	1.720	—	—	6-68-48X	BP	6-3-3211X <i>Relief valve in plug</i>
11.688	2.438	500168-2	6.3-86-18	6-68-38X	BP	6-3-3171KX <i>Relief valve in plug</i>
12.719	3.219	500168-2	6.3-86-18	6-68-38X	BP	6-3-3541KX <i>Relief valve in plug</i>
<b>2.500-16 Spline</b>						
6.719	1.719	500168-2	6.3-86-18	6-68-74	BP	6-3-2761KX
7.219	1.720	500168-2	—	6-68-74	BP	
7.469	1.719	500168-2	6.3-86-18	6-68-74	BP	6-3-2741KX
7.970	1.719	500168-2	6.3-86-18	6-68-74	BP	6-3-2801KX
8.469	1.719	—	—	6-68-74	BP	6-3-2721X
<i>500168-2 lube fitg. &amp; 6.3-86-18 dust cap kit, order separate</i>						
8.844	1.719	500168-2	6.3-86-18	6-68-74	BP	6-3-2631KX
9.344	2.516	500174-1	6.3-86-18	6-68-74	BP	6-3-3521KX

• Part is discontinued    ■ Part is available until supply is exhausted    ▲ Not sold separately



## Slip Yoke Assemblies HD Driveshaft Style




J C/L to End of Spline	F C/L to Face of Plug	Part of Slip Yoke Assembly			Style	Slip Yoke Assembly Part Number
		Lube Fitting	Dust Cap & Washer Kit	Slip Yoke Plug Number		
<b>1710 SERIES (Continued) E-6.094 (6.190-HR STYLE) D-1.938 USE KIT 5-280X OR 5-675X</b>						
<b>2.500-16 Spline (Continued)</b>						
9.594	1.719	500168-2	6.3-86-18	6-68-74	BP	6-3-2671KX
10.310	2.440	500168-2	6.3-86-18	6-68-38X	BP	6-3-3151KX <i>Relief valve in plug</i>
10.312	2.440	—	6.3-86-18	6-68-38X	BP	6-3-3611KXM• <i>Relief valve in plug; M10x1.25-6H tapped holes in yoke ears</i>
10.719	3.219	500168-2	6.3-86-18	6-68-64	BP	6-3-3481KX <i>High angle slip yoke</i>
11.688	2.438	500168-2	6.3-86-18	6-68-64	BP	6-3-2651KX
11.719	3.219	500168-2	6.3-86-18	6-68-64	BP	6-3-3461KX <i>High angle slip yoke</i>
11.969	3.219	500168-2	6.3-86-18	6-68-64	BP	6-3-2591KX <i>6-3-2591KX was replaced by 6-3-3501KX</i>
11.969	3.219	500168-2	6.3-86-18	6-68-64	BP	6-3-3501KX <i>High angle slip yoke</i>
12.719	3.219	500168-2	6.3-86-18	6-68-64	BP	6-3-3441KX <i>High angle slip yoke</i>
<b>2.500-9 Based On 10 Spline</b>						
11.000	3.250	500168-2	D6B	6-68-63	BP	6-3-1601KX•
<b>3.250-18 Involute Spline</b>						
4.125	1.375	500168-2	D6E	6-68-53	BP	6-3-1661KX
4.875	1.375	500168-2	D6E	6-68-53	BP	6-3-1481KX
<b>1760 SERIES E-7.000 (7.094 FOR HR STYLE) D-1.938 USE KIT 5-407X, 5-677X</b>						
<b>2.500-16 Spline</b>						
9.250	2.922	500168-2	6.3-86-18	6-68-74	BP	6.3-3-41KX <i>Metal, slip yoke plug no. is 6.3-68-14</i>
11.156	2.469	500168-2	6.3-86-18	6-68-64	BP	6.3-3-21KX
<b>1810 SERIES E-7.547 (7.643 FOR HR STYLE) D-1.938 USE KIT 5-281X, 5-676X</b>						
<b>3.000-16 Spline</b>						
8.062	2.969	500168-2	6.5-86-38	6.5-68-74	BP	6.5-3-1571KX•
8.938	1.562	500168-2	6.5-86-38	6.5-68-74	BP	6.5-3-1431KX
10.250	2.375	500168-2	6.5-86-38	6.5-68-64	BP	6.5-3-1351KX
11.875	2.375	500168-2	6.5-86-38	6.5-68-64	BP	6.5-3-1371KX
11.880	3.140	500168-2	—	6.5-68-64	BP	6.5-3-1761X <i>Use dust cap 6.5-86-38, order separate</i>
<b>3.250-18 Involute Spline</b>						
5.375	1.500	500168-2	D6E	6-68-53	BP	6.5-3-1451KX
<b>1880 SERIES E-8.094 D-2.188 USE KIT 5-308X</b>						
<b>3.000-16 Spline</b>						
10.031	2.031	500168-2	6.5-86-38	8-68-13	BP	8-3-391KX
11.656	2.469	500168-2	6.5-86-38	8-68-13	BP	8-3-411KX
<b>4.156-24 Involute Spline</b>						
5.031	1.750	500168-2	D9A	8-68-24	BP	8-3-431KX

• Part is discontinued    ■ Part is available until supply is exhausted    ▲ Not sold separately



**Important: See Safety Information in General Information Section (J300P-GI)**


**Wing Bearing Style**



J C/L to End of Spline	F C/L to Face of Plug	Part of Slip Yoke Assembly			Boot Kit Assy Part Number Order Separately	Style	Slip Yoke Assembly Part Number
		Lube Fitting	Dust Cap & Washer Kit	Slip Yoke Plug Number			
<b>5C SERIES</b>							
<b>WB STYLE P-4.531 S-1.685 KEYWAY-.563 USE KIT 5C-1X</b>							
<b>1.564-23 Based On 24 Involute Spline</b>							
6.890	1.437	—	4-86-48	4-68-193	—	WB 5C-3-21X• <i>Rubber valve in plug</i>	
<b>6C SERIES</b>							
<b>WB STYLE P-5.531 S-1.689 KEYWAY- .563 USE KIT 6C-1X</b>							
<b>1.939-30 Involute Spline</b>							
6.574	1.122	—	4-86-58	5-68-224	—	WB 6C-3-21X <i>Rubber valve in plug</i>	



## Slip Yoke Assemblies Slip Flange Yoke Style




J Flange Face to End of Spline	F Pilot Diameter F-Female/M-Male	Bolt Hole			Dust Cap & Washer Kit Part Number	Slip Yoke Assembly Part Number
		B - Bolt Circle Diameter	Diameter D-Drilled/T-Tapped	# of Holes		
<b>1610 SERIES</b>		<b>E-5.312 D-1.875 USE KIT 5-279X OR 5-674X</b>				
<b>1.939-30 Involute Spline</b>						
5.250	3.749 M	4.750	.509 D	8	90-86-18	5-3-3211KX
<i>Use lube fitting 500174-1; order separately</i>						

• Part is discontinued    ■ Part is available until supply is exhausted    ▲ Not sold separately



**Important: See Safety Information in General Information Section (J300P-GI)**



J	Style	Fits Tube/ Tube Yoke Part Number	Mates w/ Part Number	F	Splined Sleeve Detail	Slinger Part Number	Slip Sleeve Assembly Part Number
End of Spline to Weld				Butt Diameter			
<b>SPL140 SERIES</b>							
<b>3.071-30 Involute Spline</b>							
6.713	1	100-30-3	140-82-21X	3.937	140-55-11	232755	140-55-21X
<b>SPL170 SERIES</b>							
<b>3.053-30 Involute Spline</b>							
8.539	1	36-30-102	5010631	4.243	—	—	170-55-10626 <i>Sleeve Only-No Assembly</i>
8.539	1	36-30-102	5010631	4.243	—	—	5010626 <i>5010626 was replaced by 170-55-10626; Sleeve Only-No Assembly</i>
11.043	2	5013415	5010631	4.104	—	—	170-55-13487-1 <i>Sleeve Only-No Assembly</i>
11.043	2	5013415	5010631	4.104	—	—	5013487-1 <i>5013487-1 was replaced by 170-55-13487-1; Sleeve Only-No Assembly</i>
<b>3.465-32 Based On 34 Involute Spline</b>							
5.137	2	170-28-37	170-82-191X	4.344	—	—	170-55-151 <i>Sleeve Only-No Assembly</i>
5.826	2	—	170-28-37	4.350	—	—	170-55-11368 <i>Sleeve Only-No Assembly</i>
5.826	2	—	170-28-37	4.350	—	—	5011368 <i>Sleeve Only-No Assembly</i>
7.205	2	170-28-37	170-82-131X	4.346	—	—	170-55-81 <i>Sleeve Only-No Assembly</i>
7.590	2	170-28-37	170-82-101X	4.346	—	—	170-55-61 <i>Sleeve Only-No Assembly</i>
7.972	1	110-30-5	170-82-71X	4.350	170-55-11-2	232700	170-55-21-2X
7.984	2	170-28-37	170-82-71X	4.346	170-55-51-1		170-55-51-1
8.771	2	170-28-37	170-82-71X	4.346	170-55-51-2		170-55-51-2
9.153	1	110-30-5	170-82-61X	4.350	170-55-11-1	232700	170-55-21-1X
9.559	2	170-28-37	170-82-71X	4.346	170-55-51-3		170-55-51-3
10.346	2	170-28-37	170-82-71X	4.346	170-55-51-4		170-55-51-4
<b>SPL250 SERIES</b>							
<b>3.858 (98.0mm)-36 Based On 38 Involute Spline</b>							
4.134	1	—	250-28-37	4.744	—	—	250-55-61 <i>Sleeve Only-No Assembly</i>
6.909	1	120-30-*	—	4.744	250-55-21	232696	250-55-31X <i>Fits all 120-30 tubes</i>

• Part is discontinued    ■ Part is available until supply is exhausted    ▲ Not sold separately  
\* = Tube Length







J	Style	Fits Tube/ Tube Yoke Part Number	Mates w/ Part Number	F	Splined Sleeve Detail	Slinger Part Number	Slip Sleeve Assembly Part Number
End of Spline to Weld				Butt Diameter			
<b>1310 SERIES</b>							
<b>1.375-16 Spline</b>							
5.030	4	2-28-3707X	211256X	—	—	—	2-55-51• <i>Sleeve Only-No Assembly</i>
<b>3.002-22 Based On 23 Involute Spline</b>							
3.580	5	32-38-12	2-82-1901X	3.854	2-55-141	6.5-68-64	2-55-258X <i>Material: Aluminum</i>
<b>1330 SERIES</b>							
<b>3.000-24 Spline</b>							
7.524	1	—	5004948	3.355	5003494	—	5005921 <i>Alum slip jt. assy, used w/3.500 o.d. alum tube</i>
<b>3.002-22 Based On 23 Spline</b>							
4.910	5	—	2-82-1971X	3.815	5002371	6.5-68-64	2-55-02372X <i>Mat'l: alum, used w/4.500 o.d. alum tube</i>
4.910	5	—	2-82-1971X	3.815	5002371	6.5-68-64	5002372 <i>5002372 was replaced by 2-55-02372X; Mat'l: alum, used w/4.500 o.d. alum tube</i>
<b>3.002-22 Based On 23 Involute Spline</b>							
3.910	5	—	2-82-1971X	3.854	2-55-181	6.5-68-64	2-55-268X• <i>Mat'l: alum, used w/4.000 o.d. alum tube</i>
4.910	1	—	2-82-1961	3.854	—	—	2-55-278X <i>Mat'l: alum, used w/4.000 o.d. alum tube</i>
<b>1350 SERIES</b>							
<b>3.000-24 Spline</b>							
6.275	5	—	5005288	4.888	5006299	—	5007951 <i>Alum slip jt. assy. used w/4.500 o.d. alum tube</i>
6.275	5	—	5005288	4.888	5006303	—	5007952 <i>Alum slip jt. assy, used w/5.000 alum tube</i>
<b>1410 SERIES</b>							
<b>1.750-16 Spline</b>							
4.410	3	211140X-*	3-82-781	2.594	3-55-33	4-68-143	3-55-38X
<b>1550 SERIES</b>							
<b>2.000-16 Spline</b>							
4.560	3	210833X-*	4-82-211	3.320	4-55-43	4-68-43	4-55-48X
<b>1710 SERIES</b>							
<b>2.500-16 Spline</b>							
5.720	3	211110X-*	6-82-1131-2	5.020	6-55-43	6.5-68-13	6-55-38X
<b>1810 SERIES</b>							
<b>3.000-16 Spline</b>							
7.750	3	211570X-*	6.5-82-451-1	5.757	8-55-103	6.5-68-23	8-55-113X
7.750	3	211180X-*	6.5-82-451-1	5.020	8-55-33	6.5-68-23	8-55-43X

• Part is discontinued    ■ Part is available until supply is exhausted    ▲ Not sold separately  
\* = Tube Length




**Important: See Safety Information in General Information Section (J300P-GI)**


# Slip Yoke Assemblies Hex, Square and Round Hole



P Hex Across Flats	Lube Fitting Part Number	Slip Yoke Assembly Number
<b>1000 SERIES</b>	<b>K-1.500 D-.938</b>	<b>USE KIT 5-170X</b>
.875	500174-1	10-3-162X
1.125	500174-1	10-3-32X



P Square Hole Across Flats	Lube Fitting Part Number	Slip Yoke Assembly Number
<b>1000 SERIES</b>	<b>K-1.500 D-.938</b>	<b>USE KIT 5-170X</b>
.750	500174-1	10-3-12X
.875	500174-1	10-3-22X
1.000	500174-1	10-3-122X




P Round Hole Diameter	X SAE Keyway Width	Lube Fitting Part Number	Slip Yoke Assembly Number
<b>1000 SERIES</b>	<b>K-1.500 D-.938</b>		<b>USE KIT 5-170X</b>
.750	.188	500174-1	10-3-13X
.812	.250	500174-1	10-3-23X
.875	.250	500174-1	10-3-33X
1.000	.250	500174-1	10-3-83X
1.125	.312	500174-1	10-3-183X
1.250	.312	500174-1	10-3-163X

• Part is discontinued    ■ Part is available until supply is exhausted    ▲ Not sold separately



# Slip Yoke Assemblies For Transmission Applications




J C/L to End End of Spline	R Ground Hub Diameter	Counterbore		Style	Slip Yoke Plug Part Number	Slip Yoke Assembly Part Number
		Diameter	Depth			
<b>SPL55 SERIES</b>		<b>E-4.440 D-1.374</b>		<b>USE KIT 5-803X, 5-804X, SPL55-1X, SPL55-2X</b>		
<b>1.615-30 Based On 31 Involute Spline</b>						
8.339	2.200	—	—	SR	500166-28	55-3-21X
<b>1.616-30 Based On 31 Involute Spline</b>						
8.339	2.200	—	—	SR	500166-28	55-3-01672X
8.339	2.200	—	—	SR	500166-28	5001672
<i>5001672 was replaced by 55-3-01672X</i>						
<b>1.748-33 Based On 34 Involute Spline</b>						
9.291	2.300	—	—	SR	500166-29	3-3-17529X <i>Nickel Plated</i>
9.291	2.300	—	—	SR	500166-29	5017529
<i>5017529 was replaced by 3-3-17529X; Nickel Plated</i>						
<b>1210 SERIES</b>		<b>E-2.688 D-1.062</b>		<b>USE KIT 5-443X</b>		
<b>1.113-24 Based On 25 Involute Spline</b>						
5.875	1.374	—	—	SR	500166-20	2-3-10071X•
<b>1310 SERIES</b>		<b>E-3.469 D-1.062</b>		<b>USE KIT 5-153X, 5-785X, 5-810X</b>		
<b>1.005-22 Based On 24 Involute Spline</b>						
6.045	1.376	1.043	.390	SR	500166-20	2-3-13461X
<b>1.104-20 Based On 21 Involute Spline</b>						
6.000	1.496	—	—	SR	500166-20	2-3-9701X
<b>1.113-24 Based On 25 Involute Spline</b>						
6.500	1.375	—	—	SR	500166-20	2-3-8431X
8.250	1.374	1.194	2.890	SR	2-68-153	2-3-8891X•
<b>1.123-24 Based On 26 Involute Spline</b>						
6.040	1.494	1.142	.390	SR	500166-20	2-3-11731X
6.045	1.494	1.160	.390	SR	500166-20	2-3-13891X
<b>1.125-10 Spline</b>						
3.469	1.625	—	—	SR	2-68-44	2-3-7501X
3.469	1.641	—	—	SR	2-68-44	2-3-11551X•
<b>1.158-25 Based On 26 Involute Spline</b>						
6.000	1.558	—	—	SR	500166-20	2-3-8731X
6.000	1.558	—	—	SR	500166-20	2-3-9781X
<b>1.172-16 Spline</b>						
4.875	1.500	—	—	SR	500166-20	2-3-1331X
<b>1.176-26 Based On 27 Involute Spline</b>						
4.875	1.500	—	—	SR	500166-20	2-3-4911X
4.891	1.500	1.260	.500	SR	500166-20	2-3-9211X
<i>Corvette w/o vibration dampener; C-bore @ Hub End</i>						
4.891	1.502	—	—	SR	500166-20	2-3-10501X
5.469	1.500	—	—	SR	500166-20	2-3-6081X

• Part is discontinued    ■ Part is available until supply is exhausted    ▲ Not sold separately



**Important: See Safety Information in General Information Section (J300P-GI)**

# Slip Yoke Assemblies For Transmission Applications



J C/L to End End of Spline	R Ground Hub Diameter	Counterbore		Style	Slip Yoke Plug Part Number	Slip Yoke Assembly Part Number
		Diameter	Depth			
<b>1310 SERIES (Continued) E-3.469 D-1.062</b>				<b>USE KIT 5-153X, 5-785X, 5-810X</b>		
<b>1.176-26 Based On 27 Involute Spline (Continued)</b>						
5.469	1.500	—	—	SR	2-68-23	2-3-9191X
5.750	1.500	—	—	SR	500166-20	2-3-13051X <i>Hub diameter not ground</i>
5.750	1.502	—	—	SR	500166-20	2-3-14771X• <i>Nickel Plated</i>
5.750	1.502	—	—	SR	500166-20	2-3-12411X
5.750	1.602	—	—	SR	500166-20	2-3-15321X <i>W/4.500" OD dampener</i>
6.000	1.499	—	—	SR	500166-20	2-3-10391X
6.420	1.502	1.232	.590	SR	500166-20	2-3-11071X
6.620	1.502	—	—	SR	500166-20	2-3-15341X <i>Nickel Plated</i>
7.620	1.502	—	—	SR	500166-20	2-3-14871X• <i>Nickel plated yoke w/vibration dampener</i>
7.620	1.502	—	—	SR	500166-20	2-3-14861X <i>Nickel Plated</i>
<b>1.201-23 Involute Spline</b>						
5.750	1.578	—	—	SR	2-68-343	2-3-11721X
5.750	1.578	—	—	SR	2-68-343	2-3-11721KX• <i>Toyota yoke w/slinger</i>
<b>1.220-27 Based On 28 Involute Spline</b>						
5.390	1.496	—	—	SR	2-68-83	2-3-10761X
6.500	1.491	—	—	SR	500166-20	2-3-12981X
6.500	1.500	—	—	SR	500166-20	2-3-8251X
7.000	1.497	—	—	SR	500166-20	2-3-12671X
<b>1.220-28 Involute Spline</b>						
6.000	1.500	—	—	SR	500166-20	2-3-4871X
<b>1.250-15 Based On 16 Spline</b>						
5.380	1.700	1.262	.380	SR	2-68-23	2-3-388X• <i>Part has one wide tooth</i>
<b>1.284-28 Based On 30 Involute Spline</b>						
6.165	1.652	1.319	.450	SR	500166-22	2-3-13311X
6.266	1.652	1.320	.390	SR	500166-22	2-3-14001X
7.270	1.652	1.324	.450	SR	500166-22	2-3-12461X
7.420	1.652	1.319	.630	SR	500166-20	2-3-10131X
<b>1.284-29 Based On 30 Involute Spline</b>						
6.750	1.680	—	—	SR	500166-22	2-3-13551X
6.750	1.680	—	—	—	500166-22	2-3-14791X• <i>Nickel Plated</i>
9.330	1.680	—	—	SR	500166-22	2-3-14981X <i>Nickel Plated</i>

• Part is discontinued    ■ Part is available until supply is exhausted    ▲ Not sold separately



## Slip Yoke Assemblies For Transmission Applications




J C/L to End End of Spline	R Ground Hub Diameter	Counterbore		Style	Slip Yoke Plug Part Number	Slip Yoke Assembly Part Number
		Diameter	Depth			
<b>1310 SERIES (Continued) E-3.469 D-1.062</b>				<b>USE KIT 5-153X, 5-785X, 5-810X</b>		
<b>1.375-10 Spline</b>						
2.562	2.120	—	—	SR	—	2-3-9021 <i>Hub dia. not ground</i>
<b>1.377-30 Based On 32 Involute Spline</b>						
6.102	1.731	1.387	.394	SR	500166-22	2-3-15961X <i>Counterbore at hub end</i>
<b>1.378-31 Based On 32 Involute Spline</b>						
4.880	1.885	—	—	SR	500166-22	2-3-13131X
<b>1.390-30 Based On 31 Involute Spline</b>						
7.000	1.684	—	—	SR	500166-22	2-3-15631X•
<b>1.397-31 Based On 32 Involute Spline</b>						
5.188	1.688	1.458	.880	SR	500166-22	2-3-5281X
5.500	1.885	—	—	SR	500166-22	2-3-10431X
<b>1.403-21 Involute Spline</b>						
4.130	2.000	—	—	SR	2-68-154	2-3-9811X
<b>1.564-24 Involute Spline</b>						
4.125	2.000	—	—	SR	2-68-154	2-3-9761X▪
<b>1330 SERIES</b>				<b>SR: E-3.875 OTHERS E-3.625, D-1.062 USE KIT 5-213X,5-790X,5-812X</b>		
<b>1.113-24 Based On 25 Involute Spline</b>						
6.860	1.374	—	—	SR	500166-20	2-3-15471X <i>Nickel plated yoke w/vibration dampener</i>
6.860	1.374	—	—	SR	500166-20	2-3-15461X <i>Nickel Plated</i>
6.860	1.374	—	—	SR	500166-20	2-3-13721X
<b>1.158-25 Based On 26 Involute Spline</b>						
6.180	1.558	—	—	SR	500166-20	2-3-15051X•
7.000	1.558	—	—	SR	500166-20	2-3-14311X <i>Nickel Plated</i>
<b>1.176-26 Based On 27 Involute Spline</b>						
5.470	1.502	—	—	SR	500166-20	2-3-12081X
5.470	1.502	1.218	.390	SR	500166-20	2-3-12361X <i>W/c-bore and vibration dampener</i>
5.470	1.502	1.218	.390	SR	500166-20	2-3-12371X•
5.760	1.502	—	—	SR	500166-20	2-3-13671X•
6.417	1.502	1.216	.590	SR	500166-20	2-3-15751X•
6.760	1.502	1.217	.410	SR	500166-20	2-3-11781X
6.760	1.502	1.217	.410	SR	500166-20	5010254 <i>5010254 was replaced by 2-3-11781X</i>
6.760	1.502	1.217	.410	SR	2-68-23	2-3-12051X
7.290	1.558	—	—	SR	500166-20	2-3-14171X• <i>Nickel Plated</i>
7.290	1.558	—	—	SR	500166-20	2-3-14191X
<b>1.177-26 Based On 27 Involute Spline</b>						
6.760	1.500	1.225	.300	SR	2-68-23	5001433 <i>5001433 was replaced by 2-3-01433X; Nickel Plated w/c'bore at end</i>
6.760	1.502	1.217	.300	SR	2-68-23	2-3-01433X <i>Nickel Plated w/c'bore at end</i>

• Part is discontinued    ▪ Part is available until supply is exhausted    ▲ Not sold separately



# Slip Yoke Assemblies For Transmission Applications



J C/L to End End of Spline	R Ground Hub Diameter	Counterbore		Style	Slip Yoke Plug Part Number	Slip Yoke Assembly Part Number
		Diameter	Depth			
<b>1330 SERIES (Cont'd) SR: E-3.875 OTHERS E-3.625, D-1.062 USE KIT 5-213X,5-790X,5-812X</b>						
<b>1.201-23 Involute Spline</b>						
6.319	1.574	—	—	SR	2-68-343	2-3-02274X
6.319	1.574	—	—	SR	2-68-343	5002274
7.106	1.574	—	—	SR	2-68-343	5002278
					<i>5002278 was replaced by 2-3-02278X</i>	
7.106	1.574	—	—	SR	2-68-343	2-3-02278X
<b>1.219-27 Based On 28 Involute Spline</b>						
5.920	1.500	—	—	SR	500166-20	2-3-13011X <sup>▲</sup>
5.920	1.594	—	—	SR	500166-20	2-3-13031X
5.922	1.585	—	—	SR	500166-20	2-3-11891X
<b>1.220-27 Based On 28 Involute Spline</b>						
5.906	1.500	—	—	SR	500166-20	2-3-5981X
6.630	1.597	—	—	SR	500166-20	2-3-14061X
7.860	1.497	—	—	SR	500166-20	2-3-13691X
					<i>Same as 2-3-13701X, exc. w/o dampener</i>	
7.860	1.497	—	—	SR	500166-20	2-3-13701X• <i>W/vibration dampener</i>
<b>1.284-29 Based On 30 Involute Spline</b>						
8.030	1.680	1.440	1.440	SR	500166-20	2-3-14031X <i>Nickel Plated</i>
8.030	1.680	1.440	1.440	SR	500166-22	2-3-14261X•
9.000	1.680	—	—	SR	500166-22	2-3-12621X
					<i>Nickel plated yoke w/vibration dampener</i>	
9.000	1.680	—	—	SR	500166-20	2-3-14221X• <i>W/vibration dampener</i>
9.000	1.680	—	—	SR	500166-22	2-3-14211X•
<b>1.370-16 Based On 19 Involute Spline</b>						
7.106	1.770	—	—	SR	5002153	5002150
					<i>5002150 was replaced by 2-3-02150X; Spline has three partial teeth missing</i>	
7.106	1.770	—	—	SR	5002153	2-3-02150X <i>Spline has three partial teeth missing</i>
<b>1.377-30 Based On 32 Involute Spline</b>						
6.102	1.731	1.375	.393	SR	500166-22	2-3-16011X• <i>Includes boot can</i>
<b>1.378-30 Based On 32 Involute Spline</b>						
6.102	1.731	1.375	.393	SR	500166-22	2-3-15871X
8.464	1.731	1.385	.393	SR	500166-22	2-3-02091X
8.464	1.731	1.385	.393	SR	500166-22	5002091
6.760	1.885	—	—	SR	500166-22	2-3-10831X

• Part is discontinued    ■ Part is available until supply is exhausted    ▲ Not sold separately





## Slip Yoke Assemblies For Transmission Applications




J C/L to End End of Spline	R Ground Hub Diameter	Counterbore		Style	Slip Yoke Plug Part Number	Slip Yoke Assembly Part Number
		Diameter	Depth			
<b>1330 SERIES (Cont'd) SR: E-3.875 OTHERS E-3.625, D-1.062 USE KIT 5-213X,5-790X,5-812X</b>						
<b>1.378-31 Based On 32 Involute Spline</b>						
6.760	1.885	—	—	SR	2-68-143	2-3-12191X•
6.760	1.885	—	—	SR	500166-24	2-3-13811X•
7.250	1.885	—	—	SR	500166-22	2-3-14241X <i>Nickel Plated</i>
7.720	1.885	—	—	SR	500166-24	2-3-14831X <i>Nickel Plated</i>
7.720	1.885	—	—	SR	500166-24	2-3-13881X• <i>OEM Only</i>
7.940	1.885	1.410	.220	SR	500166-24	2-3-10791X
8.640	1.885	—	—	SR	500166-22	2-3-14281X <i>Nickel Plated</i>
<b>1.390-30 Based On 31 Involute Spline</b>						
6.000	1.688	—	—	SR	500166-22	2-3-6041X
7.000	1.885	—	—	SR	500166-22	2-3-10201X
7.460	1.886	—	—	CV	500166-22	2-3-12961X <i>C.V. Yoke-Nickel Plated</i>
<b>1.401-32 Based On 34 Involute Spline</b>						
8.465	1.770	—	—	SR	500166-20	2-3-03207X
8.465	1.770	—	—	SR	500166-20	5003207 <i>5003207 was replaced by 2-3-03207X</i>
<b>1.406-32 Based On 34 Involute Spline</b>						
8.456	1.770	—	—	SR	500166-22	2-3-04846X
8.456	1.770	—	—	SR	500166-22	5004846 <i>5004846 was replaced by 2-3-04846X</i>
8.464	1.770	—	—	SR	500166-22	3-3-08189X
8.465	1.771	1.438	.393	SR	500166-22	2-3-15891X
8.465	1.771	1.438	.393	SR	500166-22	2-3-04410X
8.465	1.771	1.438	.393	SR	500166-22	5004410 <i>5004410 was replaced by 2-3-04410X</i>
<b>1350 SERIES</b>		<b>E-3.875 D-1.188</b>		<b>USE KIT 5-178X OR 5-799X</b>		
<b>1.176-26 Based On 27 Involute Spline</b>						
6.940	1.502	1.218	.410	SR	2-68-23	3-3-4281X
6.940	1.502	1.218	.410	SR	500166-20	3-3-3721X
<b>1.201-20 Based On 23 Involute Spline</b>						
7.106	1.574	—	—	SR	—	5004083• <i>OEM Only</i>
<b>1.230-20 Based On 23 Involute Spline</b>						
7.106	1.574	—	—	SR	2-68-343	5016999• <i>OEM Only</i>
<b>1.284-29 Based On 30 Involute Spline</b>						
9.512	1.681	—	—	SR	500166-22	5015498 <i>OEM Only</i>
9.519	1.680	—	—	SR	500166-22	5016138 <i>OEM Only</i>
<b>1.326-29 Based On 30 Involute Spline</b>						
6.630	1.680	—	—	SR	500166-22	3-3-3931X
7.779	1.885	—	—	SR	500166-22	5002231 <i>5002231 was replaced by 3-3-02231X</i>
7.779	1.885	—	—	SR	500166-22	3-3-02231X

• Part is discontinued    ■ Part is available until supply is exhausted    ▲ Not sold separately



**Important: See Safety Information in General Information Section (J300P-GI)**

# Slip Yoke Assemblies For Transmission Applications



J C/L to End End of Spline	R Ground Hub Diameter	Counterbore		Style	Slip Yoke Plug Part Number	Slip Yoke Assembly Part Number
		Diameter	Depth			
<b>1350 SERIES (Continued) E-3.875 D-1.188</b>					<b>USE KIT 5-178X OR 5-799X</b>	
<b>1.375-31 Based On 32 Involute Spline</b>						
6.938	1.886	—	—	SR	3-68-33	3-3-6481X <i>1/8" hole in welch plug</i>
6.940	1.886	—	—	SR	500166-24	3-3-6361X•
<b>1.378-30 Based On 32 Involute Spline</b>						
6.100	1.731	1.388	.394	SR	500166-22	3-3-7091X <i>without slinger</i>
<b>1.378-31 Based On 32 Involute Spline</b>						
5.500	1.885	—	—	SR	500166-24	3-3-2431X
6.938	1.886	—	—	SR	500166-24	3-3-5571X
6.938	1.886	—	—	SR	3-68-33	3-3-4261X
7.720	1.885	—	—	SR	500166-24	3-3-6871X <i>Nickel Plated</i>
7.720	1.886	—	—	SR	500166-24	3-3-6441X
7.940	1.886	1.430	.220	SR	500166-24	3-3-5551X
8.432	1.885	—	—	SR	500166-24	5010279•
<b>1.390-30 Based On 31 Involute Spline</b>						
6.440	1.685	—	—	SR	500166-22	3-3-2491X
6.570	1.684	—	—	SR	500166-22	3-3-5961X
7.310	1.885	—	—	SR	500166-23	3-3-5431X
7.460	1.885	—	—	CV	500166-22	3-3-4531X• <i>CV yoke-OEM only</i>
7.460	1.885	—	—	CV	500166-22	3-3-5861X <i>C.V. Yoke-Nickel Plated</i>
<b>1.401-32 Based On 34 Involute Spline</b>						
8.465	1.770	—	—	SR	500166-20	5002464• <i>OEM Only</i>
<b>1.403-21 Involute Spline</b>						
5.310	1.830	—	—	SR	500166-24	3-3-848X <i>Hub dia. not ground</i>
<b>1.496-22 Involute Spline</b>						
7.106	1.930	—	—	SR	500166-24	5015119 <i>5015119 was replaced by 3-3-15119X</i>
7.106	1.930	—	—	SR	232923	5004082• <i>OEM Only</i>
7.106	1.930	—	—	SR	500166-24	3-3-15119X
<b>1.533-22 Based On 32 Involute Spline</b>						
7.106	1.930	—	—	SR	500166-24	5016994• <i>OEM Only</i>

• Part is discontinued    ■ Part is available until supply is exhausted    ▲ Not sold separately



## Slip Yoke Assemblies For Transmission Applications




J C/L to End End of Spline	R Ground Hub Diameter	Counterbore		Style	Slip Yoke Plug Part Number	Slip Yoke Assembly Part Number
		Diameter	Depth			
<b>1410 SERIES</b>		<b>E-4.438 D-1.188</b>		<b>USE KIT 5-160X OR 5-801X</b>		
<b>1.284-29 Based On 30 Involute Spline</b>						
8.340	1.680	—	—	SR	500166-22	3-3-6121X <i>Nickel Plated</i>
8.340	1.680	1.440	1.440	SR	500166-22	3-3-4181X
8.340	1.680	1.440	1.440	SR	500166-22	3-3-4851X <i>Nickel Plated</i>
8.340	2.161	1.440	1.440	SR	500166-22	5002035•
8.340	2.161	1.440	1.440	SR	500166-22	3-3-02035X ▲
8.344	1.688	—	—	SR	500166-22	3-3-6131X <i>Nickel plated yoke w/vibration dampener</i>
<b>1.326-29 Based On 30 Involute Spline</b>						
8.340	1.680	1.440	1.440	SR	500166-22	3-3-3251X
8.340	1.680	1.440	1.440	SR	500166-22	3-3-3271X <i>Nickel Plated</i>
<b>1.378-30 Based On 32 Involute Spline</b>						
6.100	1.731	1.387	.394	SR	500166-22	3-3-04624X
6.100	1.731	1.387	.394	SR	500166-22	5004624 <i>5004624 was replaced by 3-3-04624X</i>
<b>1.378-31 Based On 32 Involute Spline</b>						
6.940	1.885	—	—	SR	3-68-23	3-3-6471X•
6.940	1.885	—	—	SR	500166-24	3-3-6321X
6.940	1.885	—	—	SR	500166-24	3-3-6811X•
7.750	1.885	—	—	SR	500166-22	3-3-3811X
7.750	1.885	—	—	SR	500166-22	3-3-3891X <i>Nickel Plated</i>
8.070	1.885	—	—	SR	500166-24	5001646 <i>5001646 was replaced by 3-3-01646X; Nickel Plated</i>
8.070	1.885	—	—	SR	500166-24	3-3-6421X
8.070	1.885	—	—	SR	500166-24	3-3-01646X <i>Nickel Plated</i>
8.750	1.885	—	—	SR	500166-22	3-3-4401X
8.750	1.886	—	—	SR	500166-22	3-3-4211X <i>W/vibration dampener</i>
<b>1.390-30 Based On 31 Involute Spline</b>						
8.110	1.885	—	—	SR	500166-22	3-3-6001X• <i>Nickle Plated - OEM only</i>
8.110	1.885	—	—	SR	500166-22	3-3-6661X
<b>1.406-34 Involute Spline</b>						
8.465	1.770	—	—	SR	500166-22	3-3-18190X ▲ <i>Nickel Plated</i>
<b>1.500-35 Based On 37 Involute Spline</b>						
6.102	1.888	1.535	.254	SR	500166-24	5013341 <i>OEM Only</i>
<b>1.551-33 Based On 34 Involute Spline</b>						
8.110	2.086	—	—	SR	500166-26	3-3-7041X <i>Nickel Plated</i>
<b>1.615-30 Based On 31 Involute Spline</b>						
7.750	2.200	—	—	SR	500166-28	3-3-5631X
8.340	2.200	—	—	SR	500166-28	3-3-4391X
8.340	2.200	—	—	SR	500166-28	3-3-4131X <i>same as 3-3-4391x except w/vibration dampener</i>

• Part is discontinued    ■ Part is available until supply is exhausted    ▲ Not sold separately



# Slip Yoke Assemblies For Transmission Applications



J C/L to End End of Spline	R Ground Hub Diameter	Counterbore		Style	Slip Yoke Plug Part Number	Slip Yoke Assembly Part Number
		Diameter	Depth			
<b>1410 SERIES (Continued) E-4.438 D-1.188</b>					<b>USE KIT 5-160X OR 5-801X</b>	
<b>1.615-30 Based On 31 Involute Spline (Continued)</b>						
8.340	2.200	1.655	.270	SR	500166-28	3-3-6541X <i>Counterbore at hub end</i>
8.344	2.201	—	—	SR	500166-28	3-3-6141X• <i>W/vibration dampener</i>
8.344	2.201	—	—	SR	500166-28	3-3-3441X
<b>1.616-30 Based On 31 Involute Spline</b>						
7.750	2.200	—	—	SR	500166-28	3-3-5611X <i>Nickel Plated</i>
8.340	2.200	1.655	.270	SR	500166-28	5001683 <i>5001683 was replaced by 3-3-01683X; Nickel Plated</i>
8.340	2.200	1.655	.270	SR	500166-28	3-3-01683X <i>Nickel Plated</i>
<b>1480 SERIES E-4.438 D-1.375</b>					<b>USE KIT 5-188X, 5-803X OR 5-804X</b>	
<b>1.390-30 Based On 31 Involute Spline</b>						
6.870	1.885	—	—	SR	500166-23	3-3-6021X
<b>1.654-20 Involute Spline</b>						
4.560	2.380	—	—	SR	500166-26	3-3-3151X <i>Hub dia. not ground</i>
<b>1550 SERIES E-5.250 D-1.375</b>					<b>USE KIT 5-155X, 5-808X OR 5-809X</b>	
<b>1.875-14 Involute Spline</b>						
4.203	3.000	—	—	SR	500166-31	4-3-1961X•
4.703	2.750	—	—	SR	500166-31	4-3-1951X
<b>2.372-46 Involute Spline</b>						
4.880	3.125	—	—	SR	500166-46	4-3-2441X <i>Includes flinger</i>

• Part is discontinued    ■ Part is available until supply is exhausted    ▲ Not sold separately





1-3-18KX..... 3	2-3-12621X ..... 20	2-3-15631X• ..... 19	2-3-8861X..... 4
1-3-88KX..... 3	2-3-12671X ..... 18	2-3-15651X..... 5	2-3-8891X• ..... 17
2-3-01433X ..... 19	2-3-12881X..... 4	2-3-15751X• ..... 19	2-3-8921X..... 5
2-3-02091X ..... 20	2-3-128KX..... 4	2-3-15871X ..... 20	2-3-8941KX• ..... 5
2-3-02150X ..... 20	2-3-12961X ..... 21	2-3-15891X ..... 21	2-3-9031X▲ ..... 4
2-3-02274X ..... 20	2-3-12981X ..... 18	2-3-15941X..... 4	2-3-9191X ..... 18
2-3-02278X ..... 20	2-3-13011X▲ ..... 20	2-3-15961X ..... 19	2-3-9211X ..... 17
2-3-03207X ..... 21	2-3-13031X..... 20	2-3-16011X• ..... 20	2-3-9371X•..... 5
2-3-04410X ..... 21	2-3-13051X ..... 18	2-3-16221X..... 5	2-3-9701X ..... 17
2-3-04846X ..... 21	2-3-13131X ..... 19	2-3-178KX..... 4	2-3-9761X■ ..... 19
2-3-06028X..... 5	2-3-13221X ..... 5	2-3-1931KX..... 5	2-3-9781X ..... 17
2-3-10021X ..... 4	2-3-13311X ..... 18	2-3-198KX..... 4	2-3-9811X ..... 19
2-3-10071X• ..... 17	2-3-1331X ..... 17	2-3-258KX..... 4	2-3-9991X..... 4
2-3-10131X ..... 18	2-3-13461X ..... 17	2-3-348KX..... 4	2-55-02372X ..... 15
2-3-10201X ..... 21	2-3-13551X ..... 18	2-3-388X• ..... 18	2-55-258X ..... 15
2-3-10261KX..... 5	2-3-13571X•..... 5	2-3-3951KX..... 4	2-55-268X• ..... 15
2-3-10391X ..... 18	2-3-13671X• ..... 19	2-3-4071KX..... 4	2-55-278X ..... 15
2-3-10411X ..... 4	2-3-13691X ..... 20	2-3-4441KX..... 4	2-55-51• ..... 15
2-3-10431X ..... 19	2-3-13701X• ..... 20	2-3-4681KX..... 6	3-3-01646X ..... 23
2-3-10501X ..... 17	2-3-13721X ..... 19	2-3-4871X ..... 18	3-3-01683X ..... 24
2-3-10521X..... 4	2-3-13811X• ..... 21	2-3-4911X ..... 17	3-3-02035X▲ ..... 23
2-3-10571KX•..... 6	2-3-13831X..... 5	2-3-4951KX ..... 4	3-3-02231X ..... 21
2-3-10641KX•..... 5	2-3-13881X• ..... 21	2-3-5221X ..... 5	3-3-04624X ..... 23
2-3-10661X■..... 4	2-3-13891X ..... 17	2-3-5281X ..... 19	3-3-08019X..... 7
2-3-10761X ..... 18	2-3-14001X ..... 18	2-3-5821X ..... 5	3-3-08189X..... 21
2-3-10791X ..... 21	2-3-14031X ..... 20	2-3-5981X ..... 20	3-3-118KX..... 7
2-3-10801X•..... 5	2-3-14061X ..... 20	2-3-6041X ..... 21	3-3-1421KX..... 6
2-3-10831X ..... 20	2-3-14171X• ..... 19	2-3-6061KX..... 5	3-3-1481KX..... 7
2-3-10871X• ..... 6	2-3-14191X ..... 19	2-3-6081X ..... 17	3-3-1501KX..... 6
2-3-11071X ..... 18	2-3-14211X• ..... 20	2-3-7171KX..... 5	3-3-15119X ..... 22
2-3-11351X•..... 4	2-3-1421KX..... 4	2-3-7461X ..... 5	3-3-1511KX..... 8
2-3-11491KX..... 5	2-3-14221X• ..... 20	2-3-7481X• ..... 6	3-3-1561KX..... 7
2-3-11551X• ..... 17	2-3-14241X ..... 21	2-3-7501X ..... 17	3-3-1601KX..... 8
2-3-11721KX• ..... 18	2-3-14261X• ..... 20	2-3-7661KX..... 4	3-3-1621KX..... 8
2-3-11721X ..... 18	2-3-14281X ..... 21	2-3-7681KX..... 5	3-3-1641KX..... 8
2-3-11731X ..... 17	2-3-14311X ..... 19	2-3-7691KX..... 5	3-3-1701KX ..... 8
2-3-11781X ..... 19	2-3-14331X..... 5	2-3-7961KX..... 6	3-3-17529X ..... 17
2-3-11891X ..... 20	2-3-1461KX..... 4	2-3-7981KX..... 4	3-3-18190X▲ ..... 23
2-3-11991KX•..... 5	2-3-14771X• ..... 18	2-3-8001KX..... 5	3-3-1831KX..... 8
2-3-11991X• ..... 5	2-3-14791X• ..... 18	2-3-8021KX..... 5	3-3-2041KX..... 7
2-3-12031KX ..... 6	2-3-14831X ..... 21	2-3-8041KX..... 6	3-3-2431X ..... 22
2-3-12051X ..... 19	2-3-14861X ..... 18	2-3-8111KX•..... 6	3-3-2471KX..... 6
2-3-12081X ..... 19	2-3-14871X• ..... 18	2-3-8251X ..... 18	3-3-2491X ..... 22
2-3-12191X• ..... 21	2-3-14981X ..... 18	2-3-8311X ..... 5	3-3-2591KX..... 6
2-3-12301KX..... 4	2-3-15051X• ..... 19	2-3-8431X ..... 17	3-3-2681KX ..... 7
2-3-12361X ..... 19	2-3-15101X..... 4	2-3-8481X ..... 5	3-3-2701KX..... 6
2-3-12371X• ..... 19	2-3-15321X ..... 18	2-3-8731X ..... 17	3-3-2801KX..... 6
2-3-12411X ..... 18	2-3-15341X ..... 18	2-3-8741X ..... 5	3-3-2861X ..... 6
2-3-12421X..... 4	2-3-15461X ..... 19	2-3-8811X• ..... 4	3-3-2931KX• ..... 7
2-3-12461X ..... 18	2-3-15471X ..... 19	2-3-8841KX..... 4	3-3-2991X..... 7





3-3-3001X ..... 6	3-3-598KX..... 7	4-3-2121KX..... 9	6.5-3-1761X ..... 11
3-3-3121X ..... 8	3-3-6001X• ..... 23	4-3-2141KX..... 9	8-3-391KX ..... 11
3-3-3151X ..... 24	3-3-6021X ..... 24	4-3-2441X ..... 24	8-3-411KX ..... 11
3-3-3251X ..... 23	3-3-6041X• ..... 8	4-55-48X ..... 15	8-3-431KX ..... 11
3-3-3271X ..... 23	3-3-6061X..... 8	5-3-108KX ..... 10	8-55-113X ..... 15
3-3-3311KX..... 7	3-3-6121X ..... 23	5-3-128KX• ..... 10	8-55-43X ..... 15
3-3-3381X..... 7	3-3-6131X ..... 23	5-3-1411KX ..... 10	10-3-121KX..... 3
3-3-3401X..... 7	3-3-6141X• ..... 24	5-3-168KX ..... 10	10-3-122X ..... 16
3-3-3441X ..... 24	3-3-6201X..... 6	5-3-1711KX ..... 10	10-3-12X ..... 16
3-3-3461X..... 7	3-3-6321X ..... 23	5-3-198KX ..... 10	10-3-131X..... 3
3-3-3601X..... 7	3-3-6341X..... 7	5-3-2261KX ..... 10	10-3-13X ..... 16
3-3-3721X ..... 21	3-3-6361X• ..... 22	5-3-288KX ..... 10	10-3-162X ..... 16
3-3-3791X ..... 8	3-3-6381X..... 6	5-3-2911X ..... 10	10-3-163X ..... 16
3-3-3811X ..... 23	3-3-6421X ..... 23	5-3-2971X ..... 10	10-3-183X ..... 16
3-3-3871KX..... 8	3-3-6441X ..... 22	5-3-3101KXM ..... 10	10-3-18KX..... 3
3-3-388KX..... 7	3-3-6471X• ..... 23	5-3-3121KX ..... 10	10-3-22X ..... 16
3-3-3891X ..... 23	3-3-6481X ..... 22	5-3-3141KX ..... 10	10-3-23X ..... 16
3-3-3931X ..... 21	3-3-6541X ..... 24	5-3-3211KX..... 13	10-3-291KX..... 3
3-3-398KX..... 7	3-3-6611X ..... 7	5-3-3231X ..... 10	10-3-32X ..... 16
3-3-4131X ..... 23	3-3-6641X• ..... 8	5-3-368KX ..... 10	10-3-33X ..... 16
3-3-4181X ..... 23	3-3-6661X ..... 23	5-3-398X ..... 10	10-3-51X..... 3
3-3-4211X ..... 23	3-3-6701X..... 7	6-3-1481KX ..... 11	10-3-81X..... 3
3-3-4261X ..... 22	3-3-6771X..... 7	6-3-1601KX• ..... 11	10-3-83X ..... 16
3-3-4281X ..... 21	3-3-6791X ..... 7	6-3-1661KX ..... 11	55-3-01672X ..... 17
3-3-4391X ..... 23	3-3-6811X• ..... 23	6-3-2591KX ..... 11	55-3-21X ..... 17
3-3-4401X ..... 23	3-3-6831X..... 7	6-3-2631KX ..... 10	55-3-61X..... 3
3-3-4421X ..... 7	3-3-6871X ..... 22	6-3-2651KX ..... 11	55-3-81X..... 3
3-3-4531X• ..... 22	3-3-6981X..... 6	6-3-2671KX ..... 11	70-3-09115X ..... 3
3-3-4551X• ..... 8	3-3-7001X..... 8	6-3-2721X ..... 10	70-3-21X..... 3
3-3-4651X..... 6	3-3-7021X..... 8	6-3-2741KX ..... 10	70-3-41X..... 3
3-3-468KX..... 7	3-3-7041X ..... 23	6-3-2761KX ..... 10	90-3-21X..... 3
3-3-4781X..... 6	3-3-7091X ..... 22	6-3-2801KX ..... 10	90-3-41X ..... 3
3-3-4851X ..... 23	3-3-748KX ..... 7	6-3-3151KX ..... 11	100-3-41X..... 3
3-3-4871X..... 7	3-3-758KX..... 6	6-3-3171KX ..... 10	140-55-21X ..... 14
3-3-488KX..... 7	3-3-768KX ..... 7	6-3-3211X ..... 10	170-55-21-1X ..... 14
3-3-508KX..... 8	3-3-788KX..... 7	6-3-3441KX ..... 11	170-55-21-2X ..... 14
3-3-5141X• ..... 8	3-3-798KX..... 8	6-3-3461KX ..... 11	170-55-61 ..... 14
3-3-5181KX..... 7	3-3-838X..... 8	6-3-3481KX ..... 11	170-55-81 ..... 14
3-3-5411KX..... 7	3-3-848X ..... 22	6-3-3501KX ..... 11	170-55-151 ..... 14
3-3-5431X ..... 22	3-55-38X ..... 15	6-3-3521KX ..... 10	170-55-10626 ..... 14
3-3-5461X..... 6	4-3-08843KX..... 9	6-3-3541KX ..... 10	170-55-11368 ..... 14
3-3-5481KX..... 8	4-3-1241KX..... 9	6-3-3611KXM• ..... 11	170-55-13487-1 ..... 14
3-3-5491X..... 7	4-3-1261KX..... 9	6-55-38X ..... 15	170-55-51-1 ..... 14
3-3-5551X ..... 22	4-3-1411KX..... 9	6.3-3-21KX ..... 11	170-55-51-2 ..... 14
3-3-5571X ..... 22	4-3-1431KX..... 9	6.3-3-41KX ..... 11	170-55-51-3 ..... 14
3-3-5611X ..... 24	4-3-1751KX..... 9	6.5-3-1351KX ..... 11	170-55-51-4 ..... 14
3-3-5631X ..... 23	4-3-1921KX..... 9	6.5-3-1371KX ..... 11	250-55-61 ..... 14
3-3-5861X ..... 22	4-3-1951X ..... 24	6.5-3-1431KX ..... 11	250-55-31X ..... 14
3-3-5921KX..... 6	4-3-1961X• ..... 24	6.5-3-1451KX ..... 11	2/3/9021..... 19
3-3-5961X ..... 22	4-3-2041KX ..... 9	6.5-3-1571KX• ..... 11	5001433..... 19





5001646.....	23
5001672.....	17
5001683.....	24
5002091.....	20
5002150.....	20
5002231.....	21
5002274.....	20
5002278.....	20
5002372.....	15
5003207.....	21
5004410.....	21
5004624.....	23
5004846.....	21
5005921.....	15
5006028.....	5
5007951.....	15
5007952.....	15
5008019.....	7
5008843.....	9
5009115.....	3
5010254.....	19
5010626.....	14
5011368.....	14
5013341.....	23
5013487-1 .....	14
5015119.....	22
5015498.....	21
5016138.....	21
5017529.....	17
211391X .....	6
5002035• .....	23
5002464• .....	22
5004082• .....	22
5004083• .....	21
5010279• .....	22
5016994• .....	22
5016999• .....	21
5C-3-21X• .....	12
6C-3-21X .....	12



**Dana Aftermarket Group**  
PO Box 1000  
Maumee, Ohio 43537

Warehouse Distributors: 1.800.621.8084  
OE Dealers: 1.877.777.5360

[www.SpicerParts.com](http://www.SpicerParts.com)

**SPICER**<sup>®</sup>

---



J300P-3 Printed in U.S.A.  
Copyright Dana Limited, 2014.  
All rights reserved. Dana Limited.

