



INSIDE

SPICER[®]

AFTERMARKET PERFORMANCE

STRENGTH. POWER. ENDURANCE.





www.SpicerParts.com/UltimateDana60



Wherever limits are pushed, Dana is there. That's why we've introduced the new Ultimate Dana 60[™] front and rear axles for the Jeep[®] Wrangler[®] JK. Not only is it the biggest, strongest Dana 60[™] axle we've ever built, but it also incorporates many of the upgrades that off-roaders demand. You get a direct-fit, bolt-in solution for your Jeep Wrangler JK, plus the unparalleled technology, strength, and durability that comes from having Spicer Inside.[™]

ULTIMATE DANA 60TM REAR AXLES for the JEEP JK

Full-Float Design. Full-On Strength. When you're taking on the roughest terrain, you need the biggest, strongest axles available. You need the Ultimate Dana 60[™] axles. Engineered to be a direct-fit, bolt-in solution for the Jeep Wrangler JK, the Ultimate Dana 60[™] axles can withstand the extreme punishment of extreme off-roading. Built for superior strength inside and out, these axles have what it takes to overcome even the toughest obstacles.

Features and benefits include:

- Full-float design
 - Vehicle weight carried by housing instead of shaft
 - Delivers greater load-carrying ability
- 35 spline SAE-4340 nickel chromoly steel axle shafts
- Available with either and Eaton[®] ELocker[®] or ARB[®] Air Locker[®]
- Genuine Made in the USA Spicer 9¾" (248 mm) ring and pinion gear inside
 - Available ratios include 3.73, 4.10, 4.88, and 5.38

- Upgraded heavy-duty brakes with plug-and-play ABS system
 - Massive vented rotors (358mm 0.D.) and dual piston calipers for optimal braking power and optimal cooling
 - Ideal on- and off-road stopping power for vehicles with large tires
- Spicer® 1350 Strap-style/Half-round end yoke
- Axle tubes: 3½" outside diameter/.390" wall thickness
- Heavy-duty 8 x 6.5" wheel bolt pattern
- Heavy-duty brackets
- Nodular iron diff cover



The Ultimate Dana 60™ axle is built for lifted vehicles with larger tires, so you can get the ground clearance you need to take on demanding terrain.





ULTIMATE DANA 60[™] FRONT AXLES for the JEEP JK

Added Features for Added Confidence. For years, hardcore off-roaders have been modifying their Dana 60^{TM} axles for even better performance over the rocks, across the sand, and through the mud. Here at Dana, we're paying attention. We have incorporated a number of new features into the Ultimate Dana 60^{TM} axle, including chromoly axle shafts, a greatly enhanced carrier with upgraded gearing, and more. In addition, we added massive new Spicer[®] SPL[®]-70 universal joints for premium performance you cannot get anywhere else.

Features and benefits include:

- Massive Spicer[®] SPL[®]-70 u-joints—exclusive to Dana
 - Providing optimal performance for lifted vehicles with larger tires
 Improved "rock solid" seals for optimal protection from
 - environmental contamination
 - Manufactured from cold-forged steel
 - Providing for higher torque load
- Spicer® 35 spline SAE-4340 nickel chromoly steel axle shafts
 - Designed for larger tires and off-road punishment
 - Ensuring maximum strength and durability
- Warn® 35 spline hub locks
- Dead spindle design
 - Ensuring additional strength
 - Allowing for wheel bearings to be serviced individually
 - Easier to repair and service than unit bearing design
- High-strength, heavy gauge brackets
 - Additional durability where it matters the most
 - Skid plate incorporated into lower control arm bracket
- High-clearance carrier with ribbed housing design
 - Cover face rotated back for greater ground clearance
 - Reinforced ribbing on bottom of carrier to prevent hang-ups on rocks or rough terrain
- Available with either and Eaton® ELocker® or ARB® Air Locker®

- Heavy-duty 8 x 6.5" wheel bolt pattern
- Nodular iron diff cover with protective ribbing
 - Raised fill plug for increased fluid capacity due to increased pinion angles
- Upper and lower control arms in same location as OE - Better fit, less adjustment on control arm
 - Optimal articulation
 - Easy to install
 - Cast-in upper control mount for added strength and durability
- Genuine Made in the USA Spicer[®] 10" (256 mm) ring and pinion gear
 Available ratios include 3.73, 4.10, 4.88, and 5.38
 - Precision heat treated for optimal hardness and durability
 - Face hobbed for precise mating of gear teeth and a quieter ride
 - Shot peened for double the fatigue life
 - Lapped to reduce noise and heat
- Spicer® 1350 Strap-style/Half-round end yoke - Provides added strength
- Axle tubes: 3½" tube diameter/.370" wall thickness
 - Offers superior strength
 - Helps prevent steering from being knocked out of alignment
- Upgraded heavy-duty brakes with plug-and-play ABS system
 Massive vented rotors (360mm 0.D.) and dual piston calipers for optimal braking power and optimal cooling
 - Ideal on- and off-road stopping power for vehicles with large tires



The Ultimate Dana 60™ axle features a ribbed housing so you won't get hung up on the axle as you're driving over big obstacles.





THE ULTIMATE DANA 60[™] AXLES: AN EXTREME CLOSE-UP.

Check out the features and benefits of the Ultimate Dana 60™ front and rear axles, and see how you can get increased ground clearance with larger tires, plus the added strength and confidence you need to take on rocks, mud, sand, and more. Then talk to your Dana representative to get the proven performance of genuine Dana quality on- and off-road.



Axle tubes: 3½" outside diameter/.390" wall thickness

Heavy-duty 8 x 6.5" wheel bolt pattern



Spicer[®] 9¾" (248 m ring and pinion gear inside

Nodular iron diff cover with protective ribbing

THE ULTIMATE DANA 60™ CRATE AXLES (BOLT IN AXLE ASSY.)

Application	Front Axle Part #	Rear Axle Part #
2007 & Up Jeep Wrangler JK - (3.73 Ratio)	10034267	10034269
2007 & Up Jeep Wrangler JK - (4.10 Ratio)	10034268	10034270
2007 & Up Jeep Wrangler JK -(4.88 Ratio)	10005778	2023612-1
2007 & Up Jeep Wrangler JK - (4.88 Ratio) with ARB air locker	10033062	10032016
2007 & Up Jeep Wrangler JK - Front (5.38 Ratio)	10005777	10005942
2007 & Up Jeep Wrangler JK - (5.38 Ratio) with ARB air locker	10033061	10032017



ARB 4X4 ACCESSORIES F-T-N

ligh-strength, heav

Heavy-duty 8 x 6.5" wheel bolt pattern

High mount steering arm 35 spline SAE-43 nickel chromoly st





F R K Ε Т R Ε Μ



STRENGTH. POWER. ENDURANCE.

Trusted Dana Brands *******



Dana Aftermarket Group PO Box 1000 Maumee, Ohio 43537

Customer Service: 1.800.621.8084 Email: DanaNorthAmericaDC@Dana.com

www.SpicerParts.com/UltimateDana60

